


Maritim TV-Antenne - PRO-TV



Celwave introduserer PRO-TV, en profesjonell og kraftig TV/FM antenne for yrkesfartøy. Antennen er produsert av Etronic i Danmark og har vært på det norske markedet i lang tid.

PRO-TV kan benyttes på digitalt bakkenett.

Art. nr.	Beskrivelse	Veil. pris eks. mva
PRO-TV	Celwave omni-directional TV/FM antenne m/feste for rørmontering, (max Ø40mm)	2 520
<p>Spesifikasjoner (ved bruk av forsterker, N263F):</p> <ul style="list-style-type: none"> • Frekvensområde: 40-860mhz • Mottaksområde: 360° • Forsterkning/Gain: 22dB • Støynivå: >2dB • Impedance, 75ohm • Dimensjoner: 630x630x260mm • Vekt: 2,5kg <p style="text-align: center;">Tilleggsutstyr</p>		
N263F	HF101 Antenneforsterker for PRO-TV	1 110
N260F	Batterifilter for PRO-TV, 12-24Vdc, 1x TV og FM utg., (kun v/nytt anlegg)	280
N265F	Nettdel for 220Vac drift, 60mA, 2x TV utgang	430
N266F	TV / FM filter – splitter	210
N271F	Ekstra originalfeste for PRO-TV	340

Digital TV-Antenne - UFO 120

Nyhet



Mast bracket



Universal mount



Plastic base



Centre mount

UFO 120 leveres med 4 forskjellige braketter

UFO 120 kan på digitalt bakkenett men også for analoge sendinger (VHF, UHF, FM)

Art. nr.	Beskrivelse	Veil. pris eks. mva
UFO 120	<p>UFO 120 digitale TV/FM antenne for mindre fartøy. Kan også ta imot VHF, UHF og FM sendinger.</p>	1 030
<p>UFO 120 har innebygd forsterker og leveres med 4 forskjellige fester; mastebrakett, universalbrakett, plastfeste og sentermontert feste, som på bildet ovenfor. Kabel er ikke inkludert, RG59 anbefales.</p> <p>Spesifikasjoner:</p> <ul style="list-style-type: none"> • Frekvensområde: 47-860mhz • Kanaler: 2-69 + FM • Mottaksområde: 360° • Forsterkning/Gain: 28dB • Støynivå: 2,5dB • Impedance, 75ohm • Dimensjoner: 325x255x65mm • Vekt: 250g 		
Tilleggsutstyr		
N262F	12/24Vdc strømforsyning og splitter/filter for UFO 120, (IFP529)	200
N265F	220Vac strømforsyning og splitter/filter for UFO 120, (IFP502)	430

Part No.	Description	Gain	Frequency	Veil pris
		dBd/Marine		eks. MVA
VHF ANTENNAS				
CElmar0-1	Stainless Steel whip incl. mast bracket	0/3	156-162.5	450
CElmar0-11	Stainless Steel whip incl. mast bracket and 20m cable + PL259	0/3	156-162.5	650
CElmarVHF	Fibreglass whip incl. mast bracket	0/3	156-162.5	560
CElmar1-1	Light weight omni-directional antenna	0/3	149-162.5	540
CElmar1-1FME	Light weight omni-directional antenna	0/3	160-164	540
CElmar2-1	Light weight omni-directional antenna incl. 6m cable	0/3	156-162.5	520
CElmar2-2	Light weight omni-directional antenna incl. 18m cable	0/3	156-162.5	1 080
CElmar3-1	Light weight omni-directional antenna incl. 6m cable - 2.7m	3/6	156-162.5	830
CX4	Coaxial dipole antenna incl. N240F	0/3	146-162.5	810
CX4-9	Coaxial dipole antenna excl. N240F and with N connector	0/3	118-137	920
CX4-11	Coaxial dipole antenna excl. N240F	0/3	154-174	790
CX3 5/8	Collinear heavy duty antenna incl. N240F	3/6	156-162.5	1 370
GP2M5/8	Ground Plane 5/8 wave	3/6	156-162.5	2 200
DUAL BAND & FOUR BAND CELLULAR				
CEldual	Omnidirectional incl. N240F	0/3	890-960/ 1710-1880	930
CElfour	4-band Ground Plane	0/3	828-960/ 1710-1990	1 100
GSM/UMTS	Omnidirectional dualband incl. N240F	0/3	890-960/ 1920-2170	930
CELLULAR ANTENNAS GSM				
CEL1B	Omnidirectional incl. N240F	0/3	872-960	840
CEL3B	Omnidirectional incl. N240F	3/6	872-960	960
CEL5B	Omnidirectional incl. N240F	5/10	890-960	1 210
CELseaGSM1	Omnidirectional incl. 6m cable	0/3	890-960	810
WI-FI CELLULAR 2.4GHZ/UMTS				
CEL24	Omnidirectional incl. N240F	6/12	2310-2485	1 730
CEL21	Omnidirectional incl. N240F	6/12	1920-2170	1 060
CELLULAR ANTENNAS AMPS				
CELsea1	Omnidirectional incl. 6m cable	0/3	825-890	650
CELsea3	Omnidirectional incl. 6m cable	3/6	825-890	1 160
CELsea6	Omnidirectional excl. N240F	0/3	825-890	670
CELsea9	Omnidirectional excl. N240F	3/6	825-890	1 010
CEL5	Omnidirectional excl. N240F	5/10	825-890	1 200
GPS				
GPS	GPS	26dBd	1575	570
VHF/CELLULAR ANTENNAS				
CElTwin	Combi antenna, VHF/Cellular incl. filter	0/3	156-162.5/890-960	1 810
CElTwin1	Combi antenna, VHF/Cellular incl. filter and mast bracket	0/3	156-162.5/890-960	1 890
CElTwin1-3	Combi antenna, VHF/Cellular incl. filter and N240F	0/3	156-162.5/890-960	1 890
CElTwin2	Combi antenna, VHF/Cellular incl. filter and 6m cable	0/3	156-162.5/825-890	1 940
UHF ANTENNAS				
CXU1	Omnidirectional incl. N240F	0/3	450-470	930
CXU3	Omnidirectional incl. N240F	3/6	450-470	1 280
CXU4	Omnidirectional incl. N240F	5/10	440-470	2 390

Part No.	Description	Gain	Frequency	Veil pris
		dBd/Marine		eks. MVA
AM/FM ANTENNAS				
FAME1	Omnidirectional incl. N240F	0/3	0.15-30/88-108	760
FAME2	Omnidirectional Stainless steel ferrule, 18m cable	0/3	0.15-30/88-108	870
FAME3	Omnidirectional incl. N240F	3/6	0.15-30/88-108	980
FAME4	Omnidirectional Stainless steel ferrule, 18m cable	3/6	0.15-30/88-108	1 160
RECEIVING ANTENNAS				
NAVTEX3	heavy duty active rod antenna - 3 frequencies		490/518KHz/490Mz	2 840
LORAN	Loran/DGPS whip 2m fibreglass			350
DGPS-2	Loran/DGPS whip 1.2m fibreglass			270
TV ANTENNAS				
UFO-DIGITAL	Omni digital incl. Mouting and power supply	16dBd	470-862	1 030
PRO-TV	Omnidirectional incl. mounting hardware	22dBd	40-860	2 520
HF/SSB ANTENNAS				
KUM480	500W antenna for mast mounting		01.4-30	1 960
KUM480-1	500W antenna for mast mounting incl. connection box		01.4-30	2 380
KUM480-2	500W antenna for mast mounting incl. transformer connection box		01.4-30	2 550
KUM603	3-section 750W antenna for mast mounting		01.4-30	2 560
KUM603-1	3-section 750W antenna for mast mounting incl. connection box		01.4-30	2 970
KUM603-2	3-section 750W antenna for mast mounting incl. connection transformer box		01.4-30	3 140
KUM703	3-section 1000W antenna for mast mounting		01.4-30	2 780
KUM703-1	3-section 1000W antenna for mast mounting incl. connection box		01.4-30	3 190
KUM703-2	3-section 1000W antenna for mast mounting incl. connection transformer box		01.4-30	3 360
KUM803	3-section 1200W antenna for mast mounting		01.4-30	4 520
KUM803DM	3-section 1200W antenna for deck mounting		01.4-30	8 660
KUM803-1	3-section 1200W antenna for mast mounting incl. connection box		01.4-30	4 940
KUM803-1DM	3-section 1200W antenna for deck mounting incl. connection box		01.4-30	9 070
KUM803-2	3-section 1200W antenna for mast mounting incl. connection transformer box		01.4-30	5 100
KUM803-2DM	3-section 1200W antenna for deck mounting incl. connection transformer box		01.4-30	9 240
CABLE AND CABLE SETS				
N280-02F	Cable 6m RG58C/U and 1 pc. PL259/UHF connector			110
T281-01F	20m cable RG58U and 1 pc. PL259/UHFconnector			250
ACCESSORIES FOR TV ANTENNAS				
K250F	Spare mount for UFO			80
N260F	Battery filter for PRO-TV			280
N262F	Splitter for UFO			190
N263F	Low noise amplifier for PRO-TV			1 110
N265F	Power supply for UFO and PRO-TV			430
N266F	FM filter for PRO-TV			210
N271F	Spare mount for PRO-TV			340
MOUNTS AND ACCESSORIES				
E140-01F	Radial for GP2M 5/8			140
E179F	Deck mounting flange			350
H001F	Cable feed-through for RG 213			50
H010F	Cable feed-through for RG58			60
H012F	Cable feed-through for RG58 and RG213 cable in PVC			40
H022F	Delrin insulator, large, without shackles			170
H023F	Delrin insulator, small without shackles			90
H040F	Feed- through			320
K483F	Connection box for KUM480, KUM600, KUM 603 and KUM 700			520

Part No.	Description	Gain	Frequency	Veil pris
		dBd/Marine		eks. MVA
K487F	Connection box for KUM803, KUM850, KUM903 and KUM950			520
K493F	Connection transformer box for KUM480, KUM600, KUM603 and KUM 700			680
K537F	Connection transformer box for KUM803, KUM850, KUM903 and KUM950			680
N070F	Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 30-50mm			260
N075F	Stainless steel clamp for side mast mounting, KUM480/KUM600/KUM603/KUM700, 30-50mm			710
N080F	Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 50-80mm			310
N085F	Stainless steel clamp for side mast mounting, KUM480/KUM600/KUM603/KUM700, 50-80mm			680
N090F	Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 80-100mm			260
N100F	Clamp for welding KUM803, KUM850, KUM903 and KUM950			310
N105F	Stainless steel clamp for welding, KUM803, KUM850, KUM903 and KUM950			520
N110F	Clamp for side mast mounting KUM803, KUM850, KUM903 and KUM950			340
N115F	Stainless steel clamp for side mast mounting, KUM803, KUM850, KUM903 and KUM950			840
N162F	Mast mount for all types AC Marine antennas, incl. nut and washer			120
N163F	Mast mount for all types AC Marine antennas, excl. nut and washer			60
N164F	Mast mount for 1"-14 fitting			120
N170F	Adaptor mount SS to fit standard comrod mast mounts, excl. installation set/incl.nut and washer			260
N171F	Adaptor mount Stainless Steel to fit standard comrod mast mounts, incl. installation set, nut and washer			360
N210F	Rail mount for GPS 22-30cm			80
N215F	Stainless Steel Mast mount			610
N220F	Mast mount 1"-14 thread			360
N225F	Adaptor for GPS			80
N240F	1 inch pipe thread mount			120
N243F	Rubber cover			20
N245F	Clamp for side mounting - stainless steel			160
N249F	Rail mount for GPS 1"-14 thread, PVC			80
N250F	1" or 7/8 rail mount, nylon, with handle			320
N251F	1" or 7/8 rail mount, nylon, with allen key			300
N253F	Rail mount with knob			90
N254F	Rail mount with handle			90
N255F	Deckmount for GPS antenna 1"-14 thread, PVC			30
N270F	Heavy weight mast/wall mount			850
N275F	Universal mast mount up to 58mm Ø			440
N276F	30cm extension mast in aluminium, chrome ferrule			190
N280F	Adaptor for 4-way ratchet mount or extension mast with 6 m cable RG58U and 1 pc. PL259/UHF conn.			370
N280-01F	Adaptor for 4-way ratchet mount or extension mast without cable and inside 1"-14 threading			170
N280-03F	Adaptor for 4-way ratchet mount or extension mast without cable and outside threading			280
N281F	Adaptor for 4-way ratchet mount or ext. masts, with 6m cable RG58C/U and N connector			340
N282F	Adaptor for 4-way ratchet mount in PVC, without cable			80
N285F	4-way ratchet mount chromed brass			400
N286F	4-way ratchet mount stainless steel - heavy duty			370
N288F	Stainless steel deckmount 1"-14 thread for GPS			160
N290F	4-way ratchet mount PVC			60
N295-01F	Washer for 1"-14 antennas			10
N295-02F	Nut for 1"-14 antennas, f.ex CX4, CX3 5/8, CEL3B, etc			50
PD32-5	Fiberglass 3.0m, extension mast 25mmØ			520